

CALF-TEL
FAMILY OF PRODUCTS BY HAMPSEL CORP.


**The World's
Most Complete
Calf-Raising Systems**



AIRFLOW & VENTILATION



SUN & UV PROTECTION



STRENGTH & DURABILITY- BUILT TO LAST



**HEALTH & BIO-SECURITY -
EASY TO CLEAN**



EFFICIENT & ECONOMIC



Calf-Tel Family of Products

Features standard to all Calf-Tel products



High Molecular Weight Polyethylene
Extended life and durability - won't cold crack or break.



Integrated Ventilation
Superior air flow, both for cold and hot environments.



Totally Opaque Material
Blocks the sun's UV rays providing cooler temperatures.



Bio-security
Constructed of microbial-resistant materials, which means healthier calves.



Calf-Tel Deluxe

The most complete housing option available

Extra hutch lengths and either full-open or shrouded entries, as well as standard rear vents and rear vent doors

Calf-Tel Pro

The most efficient calf-raising system



Adjustable venting for better air control and bedding



Calf-Tel 1.2 Mini

The space saving, efficient system for economical calf raising



Calf-Tel Pro System



The Calf-Tel Pro system is the most efficient and cost-effective housing option available

All Calf-Tel systems are constructed of high molecular weight polyethylene that will not break down and deteriorate. Built to last, it's common to see our original hutch, manufactured twenty five years ago, still in use today. Save money on labor! The Calf-Tel Pro is light weight and easy to move. One person can lift and move the Pro for easy cleaning. When economy is paramount the Calf-Tel Pro is the solution.



Standard rear vent and vent door on both Pro and Deluxe models



Exterior Feeding
For the highest labor efficiency



Dimensions	English	Metric
Outside	86.5" L x 48" W x 53.5" H	2197mm x 1219mm x 1359mm
Inside	82" L x 42" W x 48" H	2083mm x 1067mm x 1219mm
Hutch Weight	73 lbs.	33 kg.

Calf-Tel Deluxe System

The Calf-Tel Deluxe system is the most complete housing option available

The Calf-Tel Deluxe system has all of the industry leading features of the Pro system and much more. The Deluxe includes an inside feeding station which keeps the feed and calves dry. Left or right feed doors are available to improve your feeding efficiency.



Side Access Door

Easy access to inside feed station, keeps feed and calves dry. Shown with optional bottle and bottle holder



Dimensions	English	Metric
Outside	86.5" L x 48" W x 53.5" H	2197mm x 1219mm x 1359mm
Inside	82" L x 42" W x 48" H	2083mm x 1067mm x 1219mm
Hutch Weight	86 lbs.	39 kg.

Calf-Tel 1.2 Mini System



The Calf-Tel 1.2 Mini - the space saving, efficient system for economical calf raising

The 1.2 Mini is the most economical solution for all your smaller calf and short-term calf housing needs. An entire foot shorter in length than the Pro or Deluxe models makes the 1.2 Mini easy to clean, store and transport.



Standard Rear Bedding Door

Allows for ultimate labor efficiency while providing maximum ventilation

Dimensions	English	Metric
Outside	60" L x 44" W x 46.5" H	1524mm x 1118mm x 1181mm
Inside	55.5" L x 41" W x 41" H	1410mm x 1041mm x 1041mm
Hutch Weight	Approx. 50 lbs.	Approx. 23 kg.



MultiMax System

The MultiMax Group Calf Raising System helps calves transition from individual systems to a manageable group environment


When calves raised individually are placed in large groups, the stress from competition and social pressure can lead to setbacks in growth and health. Placing 4 to 6 similarly sized weaned calves in a MultiMax is the best way to ease the transition. Continued growth and health will be attained as animals bond into a social group.



Optional rear vents for warmer climates, hot weather, or as an observation tool



Treated Lumber Base
Provides a stable and secure foundation




Large Entry Way
Allows for maximum ventilation



Dimensions	English	Metric
Outside	86.5" L x 107.5" W x 72" H	2197mm x 2730mm x 1829mm
Inside	82" L x 102" W x 71" H	2083mm x 2591mm x 1803mm
Weight w/base	235 lbs.	107 kg.

Calf-Tel Pen System



The modular, cost-effective solution for indoor calf raising


The Calf-Tel Pen System is the most innovative pen system on the market. The Calf-Tel pen has all the advantages of the Calf-Tel calf raising systems integrated into a cost-effective, expandable and management conscious system.

- Modular construction and assembly
- Easy to set up, configure, expand and sanitize
- Light weight and simple to move- requires only one person
- System can interlock back-to-back and side-to-side
- Superior ventilation - standard adjustable rear venting
- Exterior feeding - easy access to feed and water
- Hinged door – full upright access
- Free standing – does not require permanent installation

Shown with optional bottle and bottle holder



Adjustable Venting



Interlocking Panels



Accessible Feeding



Dimensions	English	Metric
Width	48"	1219 mm
Lengths Available	6' or 7'	1829 mm or 2134 mm
Height	45"	1143 mm

Fencing & Tether Options


Calf Tethering Kit

- 4 ft. of zinc plated chain
 - 1" x 24" black nylon strap
 - 3/16" lap link
 - 2-1/4" swivel eye bolt snaps
 - 1/8" coated aircraft cable 69 7/8" long looped at each end
- **Each item may be purchased separately*




Calf Fence Panel Bent & Cut for Buckets

- Crafted of 1/4" diameter hot tip galvanized steel
- 42" H x 72"D x 48" W



Calf Fence Panel Bent


- Crafted of 1/4" diameter hot tip galvanized steel
- 42" H x 72"D x 48" W



Accessories & Hardware

Hay Rack, Interior Mount or Fence Mount

- Electrostatic coated to prevent rusting



Rear Vent Door Kit for Mounting to back of Hutch.

- Polyethylene vent door, (2) hinges and attachment hardware



L-Rod Set for Attaching Fence to Hutch and Allowing Easy Access.

- 2 L-Rods, each crafted of 3/8" pre galvanized steel, measuring 40" long



Eyebolt Hardware for Fence Attachment

- 3/8" x 3" zinc plated eyebolts
- 3/8" jam nuts and 1-1/8" O.D. fender washers



J-Rod Stake for Securing Hutch to Ground

- Crafted of 3/8" pre-galvanized steel, measuring 12" long



At Hampel Corp., we proudly stand behind our craftsmanship. For more information or to discuss your housing needs, call 1-800-558-8558 or visit www.calfel.com. **We house success!**



Calf-Tel Accessories

Genuine Calf-Tel accessories and parts for your system

We offer a full line of the highest quality accessories that promises to meet all of your calf raising needs.

Buckets & Bottles

10 Qt. Heavy Duty Plastic Pail

2 Qt. Bottle with Nipple

Replacement Nipple for 2 qt. Bottle

Hardware & Mounting Options

Double Pail Holder, Fence Mount

Electrostatic coated to prevent rusting

Adjustable Heavy Duty Double Pail Holder and Attaching Hardware, Hutch Mount


Electrostatic coated to prevent rusting

2 or 3 Qt. Bottle Holder and Attaching Hardware

Holds most 2 or 3 qt. bottles

Feed-Saver Cover

Fence mounted environmental protection for feed buckets



Meeting Your Calves Housing Needs

Calf-Tel has been meeting the needs of dairymen and calf raisers since the introduction of the industry leading Calf-tel hutch in 1981. With the development of the Calf-tel Pen System, Calf-Tel now offers solutions for all of your raising needs, both indoors and out.

While management systems may vary, fundamental elements for a successful calf housing system are essential. The needs of the calf must be met along with the raisers ability to manage those needs.

- Comfort
- Separation
- Ventilation
- Ease of Use



Comfort

Calves in a comfortable environment will grow faster and be healthier as energy is utilized for growth and development vs. fighting environmental stressors.

- Easy access to feed and fresh water
- Proper drainage through the use of sand and gravel base to limit moisture build up
- Utilization of proper bedding material – straw, sawdust, wood chips, and sand
Depending on thermal needs
- Easy observation and access of calves for the calf raiser





Separation

Due to the immature immune system in calves, it is important to separate them to prevent/limit potential pathogen transmission. Separation also allows for improved observation and individual care by the calf raiser.




- Individual hutches can be spaced to prevent calf-to-calf contact
- Calf pens need to eliminate direct calf-to-calf contact through feed openings, vents and other possible points of contact

Ventilation

Many different structures can be successfully used to raise healthy calves, provided they are well designed for ventilation and properly managed. Properly designed ventilation not only provides calves with fresh air but also removes noxious odors, and is key in the reduction of airborne pathogens.

- Hutches should provide sufficient ridge ventilation, front and rear, for air exchange to prevent condensation
- Hutches also need large rear vent openings for warm weather conditions
- Calf pens should allow for maximum front panel venting along with adjustable rear vent openings



Ease of Use

Calf raising systems must achieve the fundamental requirements: comfort, separation and ventilation without sacrificing efficiency and overall functionality. Successful housing systems must be lightweight, extremely durable and - easy to use.

- Easy access to feed and water – for raiser and calf
- Lightweight – easy to set up, configure, expand and clean
- Reliability & longevity – hutches and pens should not deteriorate or break down, necessitating constant maintenance or routine replacement



Site Preparation & Setup

Proper setup ensures your Calf-Tel system performs and lasts

What type of site preparation is recommended?


- Situate hutches and service aisles on a well-drained surface with a slight slope. We recommend crushed stone, gravel or sand.
- The site should be large enough, allowing hutches to be rotated to a fallow or dormant space. This rotation provides a break in the life cycle of micro-organisms that can build up in the soil.
- Face the hutch entrance away from prevailing winds.
- Secure hutches to the ground.

We can propose a site configuration best suited for your operation – call us for more details.



Calf-Tel Pro System - Site Layout

Layout Configurations




Space Requirements

- With a fenced yard, Calf-Tel Pro dimensions are approximately 4 ft. (1219mm) wide by 13 ft. (3962mm) long.
- We recommend 1 ft. (305mm) between the calf contact points of each unit with a fence.

Tethering - Sample Layout

Layout Configuration




Space Requirements

- Calf-Tel tethering kits extend approx. 4 ft. (1219mm)
- We recommend 1 ft. (305mm) between the calf contact points.




Calf-Tel Deluxe System - Site Layout

Layout Configurations



■ = Feeding Station




Space Requirements

- With a fenced yard, Calf-Tel Deluxe dimensions are approximately 4 ft. (1219mm) wide by 13 ft. (3962mm) long.
- We recommend 1 ft. (305mm) between the calf contact points of each unit with a fence.
- The Calf-Tel Deluxe allows you to configure hutches head to tail to reduce distance feeder must travel (saves time and money).

Calf-Tel 1.2 Mini System - Site Layout

Layout Configurations




■ = Feeding Station

Space Requirements

- With a fenced yard, Calf-Tel 1.2 Mini dimensions are approximately 4 ft. (1219mm) wide by 10.5 ft. (3200mm) long.
- We recommend 1 ft. (305mm) between the calf contact points of each unit with a fence.

Calf-Tel Pen System - Site Layout

Layout Configurations



■ = Feeding Station

Space Requirements will vary depending on individual configurations

- Pen Width 4 ft. (1219mm)
- Pen Lengths 6 ft. (1828mm) or 7 ft. (2134mm)

Calf-Tel's professionals can assist you in designing a layout best suited for your operation - call us for more details.



Industry Leading Warranty

We are so confident in the strength of our materials, the superior thermoformed manufacturing process and our state-of-the-art engineering that we offer the best warranty in the industry

10 Year Limited Warranty

Calf-Tel Pro
Calf-Tel Deluxe
Calf-Tel 1.2 Mini
Calf-Tel MultiMax
Calf-Tel Pen System

Contact us for more warranty information
Hampel Corporation
1-800-558-8558



Hampel - Manufacturer of Calf-Tel Products



Hampel began as a custom manufacturer of OEM parts. Overtime, using thermoforming and engineering expertise, has “molded” its future into a diversified, global plastics manufacturer serving customers worldwide with our three divisions; Calf-Tel Family of Products - Portable Sanitation - Custom Contract.

Creating innovative product solutions and continuously meeting your challenging demands, supports our commitment to growth and excellence. Simply put — your success is our future.

Hampel Corp. first began serving the Agricultural Industry in 1981 with the introduction of Calf-Tel. As a testament to our innovative engineering and quality manufacturing, 99% of the original hutches are still in use today.

At Hampel Corp. we use a unique thermoforming process along with the highest quality polyethylene plastic to achieve unmatched strength, durability and product longevity.



At Calf-Tel - We house success. The industry's #1 choice for calf housing, indoors and out. Let Calf-Tel products help you improve herd health along with your bottom line.



Global Distribution

For worldwide distribution contact information
visit www.Calf-Tel.com

*The benefits of Calf-Tel: Strength & Durability,
Health & Bio-security, Sun & UV Protection, Superior
Ventilation and overall Ease of Use have been
realized worldwide.*

Hampel Corporation

W194 N11551 McCormick Drive
Germantown, Wisconsin 53022 USA

Western Farm Sales

10864 88th ST SE
Oakes, ND 58474
1-800-635-3293

Austria
Canada
Denmark
Germany
Greece
Italy
Japan
Mexico
Netherlands
Poland
South Korea
Spain
Sweden
Switzerland
United Kingdom



BY

