Strength and durability of our covers comes from a weave of double stacked, high-density polyolefin slit tapes. They are backed with a standard 10 year pro-rated warranty or an optional 15 year pro-rated warranty. Finish your **Diamond Shelter** using one or more of these appealing colours.



Optional **Powder Coating** provides a superior finish that is tough, durable, attractive and environmentally friendly. **Powder Coating** comes in many colours for a distinctive finish.






- At Diamond Shelters
- We have been manufacturing shelters since 1989
- Available in widths from 15' to 160'
- Technical support is available from our sales and engineering staff
- Certified by Canadian Welding Bureau, your assurance of first class workmanship
- Made in Canada





Canadian Toll Free 1-888-240-5066 USA Toll Free 1-888-204-2102 Email: info@diamondshelters.net



Diamond Shelters

All rafters are 2 3/8" x 12 gauge, hollow structural round tube. There is an optional upgrade to 3" tubing.

Efficient hog production in a healthy environment using a 30' x 72'

Single Hoop Shelters come with our top quality North American made 12.5 oz. polyethylene cover. This cover has D-rings spaced every 18". All D-rings have double reinforced gussets.

Pulling cover over a 36' x 140' Ponywall **Diamond Shelter**



24' to 32' Freestanding Models

Freestanding models are designed to be set directly on the ground.

Freestanding packages come complete with base rail mounting kit including ground anchors and cover tie down rails.









Ideal for storage of any kind.



environment using a 30' x 72'
Ponywall Diamond Shelter.





Our rafters and purlins have easy to assemble slip together joints. No abrasive spots. **No taping joints**.


22' to 36' SINGLE HOOP MODELS

All Ponywall & Freestanding Diamond Shelters can be built to the length that best suits your needs.

All specifications subject to change without notice.











See our product information sheets.





















5



22' to 36' Ponywall Models



Ponywall Diamond Shelters come complete with rafter base couplers and lag bolts for wood, or optional wedge anchors for concrete.

Ponywall models are designed to be set onto a wooden or concrete wall.

Home for these sheep is a 30' x 48' Ponywall Diamond Shelter.



Ideal for livestock and machinery.



A well built 36' x 80' Ponywall Diamond Shelter. Just imagine what you could store in here.



This bulk commodity transfer facility uses two Ponywall **Diamond Shelters** to protect product from weather as it is transferred from train to truck.

A 36' x 140' Ponywall Diamond Shelter with an awning and feed bunker. An innovative idea!



We have Double Sliding Doors available in various widths and heights.

A beautifully finished 36' x 90' Ponywall Diamond Shelter used for machinery storage.



Durable Trak Doors come in 12', 14', 16', 20' and 24' widths.

Diamond Shelters

Our Roll Up Door is an economical alternative that provides quick and easy access to your Diamond Shelter

A 36' x 70' Ponywall **Diamond Shelter** maintains quality of these round bales in a cost effective manner.



End walls for **Diamond Shelters** can be wood or metal clad.

Our own polyethylene covered end wall provides a

durable and attractive finish to your **Diamond Shelter**.







